

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office..... JAN 31 1990
Returned to applicant for correction..... FEB 16 1990
Corrected application filed.....
Map filed..... MAR 24 1977 under 31099

The applicant Dorothy Graham
5965 S. Westwind, of Las Vegas
Street and No. or P.O. Box No. City or Town
Nevada 89118
State and Zip Code No.
hereby make application for permission to appropriate the public
waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a
copartnership or association, give names of members.)

1. The source of the proposed appropriation is Underground
Name of stream, lake, spring, underground or other source
2. The amount of water applied for is .1 cubic feet per second second-feet
One second-foot equals 448.83 gals. per min.
(a) If stored in reservoir give number of acre-feet
3. The water to be used for Quasi-Municipal and Domestic
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.
4. If use is for:
(a) Irrigation, state number of acres to be irrigated
(b) Stockwater, state number and kinds of animals to be watered
(c) Other use (describe fully under "No. 12. Remarks")
(d) Power:
(1) Horsepower developed
(2) Point of return of water to stream
5. The water is to be diverted from its source at the following point SE¼NW¼ Section 36 T.21S. R60E.
M.D.M. at a point from which the NW1/16 corner Describe as being within a 40-acre subdivision of public
bears N40°13'31" West a distance of 568.99 feet. Please use map filed under
survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.
existing permit No. 31099
6. Place of use SE¼ NW¼ Section 36 T.21S. R60E. M.D.M.
Describe by legal subdivision. If on unsurveyed land, it should be so stated.
Please use map filed under existing permit No. 31099
7. Use will begin about January 1 and end about December 31, of each year.
Month and Day Month and Day
8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and
specifications of your diversion or storage works.) 8" well, submersible pump storage and
State manner in which water is to be diverted, i.e. diversion structure, ditches and
pressure tanks
flumes, drilled well with pump and motor, etc.
9. Estimated cost of works \$12,000.00

10. Estimated time required to construct works..... 1 year
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use..... 3 years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

This application is being filed on the same well as existing permit No. 31099 which is for 2 homes and 1 guest home, with the request to add 1 additional home. Please use the map filed under existing permit No. 31099 Application is for 1 home in addition to those permitted under permit No. 31099

By...s/Dorothy Graham
Dorothy Graham
5965 S. Westwind
Las Vegas, Nv. 89118

Compared...bc/ bp bp/se

Protested.....

APPROVAL.....OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The total combined duty of water under Permits 31099 and 54396 shall not exceed 1.46 million gallons annually.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to

exceed..... 0.1cubic feet per second, but not to exceed 0.365 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before..... July 24, 1992

Proof of completion of work shall be filed on or before..... August 24, 1992

Application of water to beneficial use shall be made on or before..... July 24, 1995

Proof of the application of water to beneficial use shall be filed on or before..... August 24, 1995

Map in support of proof of beneficial use shall be filed on or before..... N/A

Completion of work filed..... SEP - 1 1992 IN TESTIMONY WHEREOF, I R. MICHAEL TURNIPSEED, P.E.

Proof of beneficial use filed..... State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 24th day of July

Cultural map filed.....

A.D. 19.....90

State Engineer

Certificate No..... Issued.....